

WIND INSTRUMENTS



From the Hands of our Artisans...

You'll find our instruments in the hands of musicians from all ages and levels all over the world. Whether we are making a professional level instrument or a student model, our aim is to provide the musician with an instrument that sounds and plays as best as possible, is reliable, and is good for both the user and the environment.

When you pick up a Yamaha instrument, take a moment and think about how this instrument made it into your hands. How it started from a sheet of metal or length of seasoned wood, was shaped into form by the skilled hands of a master craftsman, then assembled and adjusted, again by hand. Yes, by hand.

With all of the advanced technologies we have at our disposal, we still find that the best way to get some jobs

done right is to do it by hand, and it makes no difference as to whether the instrument is a custom pro level instrument, or a student model for a beginner. Constantly in contact with the instruments we make, we are concerned with what goes into them since it not only affects their sound and playability, but the player and the environment as well. That's why Yamaha instruments are made using lead-free solder.

Much like making music, crafting instruments is an art that requires dedication and a passion for perfection. Through our art, we bring the instrument to form, through the musician's art, that form comes to life. We take great pride in passing our art on to musicians young and old, and watching them mature and bloom with the products we make.



Contents

WOODWIND Instruments

Flutes	
Alto Flute & Bass Flute 6	
Piccolos	
B [,] /A Clarinets7	
B [,] Clarinets8	
B [,] Bass Clarinets9	
E [,] Alto Clarinet9	
German Style Clarinets 10	
Oboes 11	
Bassoons12	
Alto Saxophones13	
Tenor Saxophones13, 15	
Soprano Saxophones16	
Baritone Saxophones17	
Woodwind Mouthpieces18	

B [,] Trumpets	19
C Trumpets	21
C/B [,] Trumpet	22
Rotary Trumpets	22
E/E♭/D Trumpets	23
Herald Trumpet	23
Piccolo Trumpets	24
Cornets	25
Flugelhorns	26
French Horns	27
Tenor Trombones	29
Tenor Bass Trombones	30
Bass Trombones	31
Valve Trombones	31
Compact Trombone	32

BRASS Instruments

Alto Trombones	. 32
Tenor Horns/Baritones	. 33
Euphoniums	.34
BB [,] Tubas	. 35
F Tubas/E [,] Tubas	. 37
C Tubas	.38
Marching Brass	. 39
Sousaphones	.40
Brass Mouthpieces	41



Flutes



YFL-977CH

Handmade

900

Gold headjoint, body & footjoint Keys: gold or sterling silver available Handmade

YFL-897H

800 Sterling silver

headjoint, body, footjoint & keys

YFL-894W

Wooden Flutes 800

Grenadilla headjoint, body & footjoint Sterling silver keys

Handmade Flutes

inaniania do i nat										
Model	Key types	Key systems	E mechanism	Footjoint	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pads	Finish
YFL-997		In-line	Included							
YFL-987	Ring keys	in-ine	—		9/14/18K Gold	0/14/19K Cold	14/18K Gold or			
YFL-977		Offset G			S/ 14/ ISK GOID	3/ 14/ 1010 0010	Sterling silver		Straubinger [™] Pads	Unplated
YFL-917	Covered keys	Unset G	Included	C footjoint / B footjoint*				White gold		
YFL-897		In-line						white gold		
YFL-887	Ring keys	III-IIIIe	_		Storling silver	Sterling silver	Sterling silver			
YFL-877		Offset G	Included		Sterning silver	Sterning silver	Sterning silver			
YFL-817	Covered keys	onset d	menudeu							

Handmade Wooden Flutes

manual 1100	aon matoo										
YFL-894W	Rina kevs	In-line		C footioint /						Special oil	1
YFL-874W	King keys	Offset G	Included	B footioint*	Grenadilla	Grenadilla	Sterling silver	White gold	Traditional Pads	treatment	
YFL-814W	Covered keys	Oliset G		Biootjoint						treatment	
*											

*For B footjoint and Gizmo key, add "H" to the model number.

Handmade Flute Options

When ordering a custom built Handmade Flute there are many factors to consider. In addition to the basic key configurations there are a number of other important variables which help determine the character of your instrument. For an overall view of the possibilities available to you, see the following list of options. If you require more information, please contact your Yamaha Handmade flute dealer.

Mechanical Options

C# Trill Key

An additional lever and tonehole which are useful for B to C# trills, but can also be used to facilitate a number of other trills and tremolos.



Split E Mechanism

This key helps give more stability and better centered intonation to the high E.



Clutch E Mechanism

A switch allowing players to turn on or off the Split E mechanism as desired.



Under-key type

C# and D# Rollers

Rollers on the key levers to facilitate finger movements.

G/A Trill Kev

This aids in trilling from G to A.



G# Open

Removing G# tonehole enables better intonation of high E, even without a Split E Mechanism.



Engraving

Crown



Lip Plate



Rings



Keys

Toneholes

Drawn Toneholes

Walls are drawn upward from the body material, giving the flute a broad, light sound.

Soldered and Undercut

Soldered toneholes with undercut inner edges give a strong sound with a lot of 'life' in the tone.

Headjoint



- **TypeA** The type A headjoint enables the flutist to produce an easy yet colorful sound and still play using a wide dynamic range.
- **TypeK** The type K headjoint has the sound concept of a powerful tone and wide dynamic range with good presence reaching the entire hall.
- **TypeY** The type Y headjoint has taper which is similar to the French taper but with a double flare design. Warm tone color. Excellent center in the mid to high range.
- TypeE The type E headjoint has high, narrow chimney walls. Excellent resonance and ideal air resistance for tone control. Direct, straightforward sound.
- **TypeH** The type H headjoint has small undercut area, providing outstanding tone color flexibility.
- TypeC The type C headjoint has the sound concept of a pure sound and rich resonance hidden in natural and graceful tone. It has a comfortable playing resistance with excellent feel and playability providing amazing diversity in expression.
- TypeM The type M headjoint has the sound concept of a rich, colorful sound and tonal freedom and was specially developed for the YFL-900MV Series & YFL-800MV Series flute.

Material Combination for Gold Flutes

The 900 series flutes are offered in three custom combinations of precious metals, designated as A, B, and C, (referenced below).



• A Type			
		ၜႝၜၛၜၟၜၟၜ	20255
• B Type	0 0 Q @		
• C Type			F 6-6-
			2 475 5
: Gold : Ster	rling silver		
Model Type	А Туре	В Туре	С Туре
Body, Head & Footjoint	9K Gold		
Rings, Posts & Ribs	Sterling	14K/18	K Gold

silver An optional gold crown for A, B and C type flutes is available by special order.

Sterling

Key Mechanism



OFF

la

Professional 700

Model

YFL-797/H YFL-787/H YFL-777/H YFL-717/H

YFL-697/H YFL-687/H

YFL-677/H

YFL-617/H

YFL-597/H

YFL-587/H

YFL-577/H

Sterling silver headjoint, body, footjoint & keys Silver-plated

YFL-797H

Handcrafted Professional Flutes

Key types

Ring keys

Covered keys

Ring keys

Covered keys

Ring keys

YFL-677H Professional

Key sys

In-line

Offset G

Sterling silver headjoint, body & footjoint Nickel-silver keys, Silver-p

Included

600

YFL-517 **Professional**

500

Sterling silver headjoint, Nickel-silver body,

Intermediate 400

YFL-482H

Sterling silver headjoint, body & footjoint

Nickel silver

Sterling silver headjoint Nickel-silver body, footjoint

YFL-372

Intermediate

300

Nickel silver Stainless steel

200 Nickel-silver headjoint, body, footjoint & keys

YFL-212

Student

Traditional Pads

ckel-silver keys, Silver-plated		footjoint & keys, Silver-plated				keys, ver-plated	Silver-plated		
Key systems	E mechanism	Footjoint	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pads	Finish	
In-line	Included -				Charling ailuar				
Offset G	Included		Otaulian ailan	Sterling silver	Sterling silver	White gold	Straubinger		
In-line		C footjoint /	Sterling silver (Gold-plated lip plate	Sterning sliver			Phoenix [™] Pads	Silver-plated	
Offset G	Included	B footjoint*	available)		Nickel silver	Stainless steel		Silver-plated	

YFL-517/H Covered keys

Intermediate Flut	es											
Model	Key types	Key systems	E mechanism	Footjoint	Gold-plated lip plate	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pads	Finish	
YFL-482/H	Ding kovo	In-line	-		Available							
YFL-472/H	Ring keys		Included		Available		Sterling					
YFL-422	Covered keys	Offset G	_		_]	silver					
YFL-412	Covered keys		Included	C footjoint /		Sterling		Nickel	Stainless	Traditional		
YFL-382/H		In-line	-	B footjoint*			silver		silver	steel	Pads	Silver-plated
YFL-372/H	Ring keys		Included	B lootjoint Available		311761		311/01	31001	iaus		
YFL-362/H		Offset G	_				Nickel silver					
YFL-322	Covered keys	Onseru	_		_							
YFL-312	Covered keys		Included		Available							
Student Flutes							*For B footjo	oint, and Giz	mo key, add	"H" to the m	odel number.	

Headjoint & lip plate Body & footjoint Key systems E mechanism Footjoint Pads Finish Model Key types Keys Springs YFL-282 In-line YFL-272 YFL-262 Ring keys Included Traditional Pads C footjoint Nickel silver Nickel silver Nickel silver Stainless steel Silver-plated Offset G _ YFL-222 Covered keys YFL-212 Included Specifications subject to change without notice.

Alto Flute & Bass Flute



Piccolos



Professional

YFL-A421/A421U G alto flute Gold-brass headjoint, body & footjoint Clear lacquer finish Sterling silver lip plate Silver-plated keys

Professional YFL-B441

C bass flute Gold-brass headjoint, body & footjoint Clear lacquer finish Sterling silver lip plate Silver-plated keys With curved headjoint

Handmade YPC-92

Grenadilla body Sterling silver headjoint & keys, With E mechanism

Handmade

YPC-91 Grenadilla body &

Grenadilla body & headjoint Sterling silver keys, With E mechanism

Handcrafted YPC-87R

Grenadilla body & headjoint (Wave cut) Sterling silver keys, With E mechanism

Handcrafted

YPC-82 Grenadilla body Sterling silver headjoint, Silver-plated keys With E mechanism

Handcrafted YPC-81/81R Grenadilla body & headjoint

Silver-plated keys With E mechanism

81R/62R: Wave cut Headjoint

Professional YPC-62/62R

Grenadilla body & headjoint Silver-plated keys, With E mechanism Available with metal headjoint (YPC-62M) (silver lip plate)

Student YPC-32

ABS resin body Silver-plated headjoint & keys, With E mechanism

Alto & Bass Flutes

AILO & Dass I luto	a									
Model	Key types	Key systems	Toneholes	Headjoint	Lip plate & riser	Body & footjoint	Keys	Headjoint type	Pads	Finish
YFL-A421	Alto in G						Cilver plated	Straight*	Traditional Pads	
YFL-A421U	Alto III G	Covered keys	Drawn	Gold brass	Sterling silver	Gold brass	Silver-plated nickel silver	Curved*	Traditional Faus	Clear lacquer
YFL-B441	Bass in C							Curved	Leather Pads	
							*Both straig	ht and U headjo	int can be supplie	d by special order.

Piccolos							both straight a	nd o neadjoint can be supplie	a by special order														
Model	Headjoint	E mechanism	Keys	Body	Bore	Toneholes	Springs	Pads	Post mounting														
YPC-92	Sterling silver		Ctarling ailuge					Traditional Pads															
YPC-91	Grenadilla		(Silver-plated)		Sterling silver					White gold	Traditional Faus												
YPC-87R	Grenaullia					Undercut		Straubinger [™] Piccolo Pads															
YPC-82	Sterling silver					Undercut																	
YPC-81				Grenadilla																			
YPC-81R	Grenadilla	Included	_	-	_	_	ncluded		Conical				Ribbed										
YPC-62/62R]							-	Ni	monadoa	monaada	monadoa	monadod	monadada	included	monadoa	Nickel silver		i		Stainless		
YPC-62M	Nickel silver (Silver-plated) with silver lip plate									(Silver-plated)			Straight	steel	Traditional Pads								
YPC-32	Nickel silver (Silver-plated)		-	ABS resin																			

Clarinets

B^b/A Clarinets



Custom **YCL-SE ARTISTMODEL**

B[,] clarinet Grenadilla body Keys: Silver-plated

YCL-SE ARTISTMODEL-A

A clarinet Grenadilla body Keys: Silver-plated An E-lever and low E/F correction key are included on the YCL-SE ARTISTMODEL/SE ARTISTMODEL-A.



YCL-CSG III H

Custom

YCL-CSG III

YCL-CSG III / CSG III H B[,] clarinet

Grenadilla body Keys: Silver-plated (YCL-CSG III), Hamilton-plated (YCL-CSG III H)

YCL-CSG-AII/CSG-AIIH

A clarinet Grenadilla body

Keys: Silver-plated (YCL-CSG-A III), Hamilton-plated (YCL-CSG-A III H) YCL-CSG III / CSG-A III are available with an optional low E/F correction key.

An E^b lever is included on the YCL-CSGIII/CSG-AIII.



Custom **YCL-CSVR**

B[,] clarinet Grenadilla body Keys: Silver-plated

YCL-CSVR-A

A clarinet Grenadilla body Keys: Silver-plated Grenadilla body Keys: Silver-plated **YCL-SEVR-A** A clarinet Grenadilla body

Keys: Silver-plated

YCL-SEVR

YCL-SEVR

Custom

B[,] clarinet

All Yamaha B[,]/A Boehm clarinets are available with

B [,] and A Custom Clarinets					a	n optional E leve	er. Add "E" to the	model number.		
Model	Key	Fingering system	Barrel length	Body material	Key material	E [,] lever	Thumb-rest	Mouthpiece		
YCL-SE ARTISTMODEL		Boehm 19 Keys 6 Rings	65mm, 66mm		Silver-plated			4CM		
YCL-CSG III		Boehm 18 Keys	54mm. 55mm		nickel silver Included	Included			5CM	
YCL-CSG III H	B♭	6 Rings	5411111, 5511111		Hamilton-plated			50101		
YCL-CSVR	^ر ۵									
YCL-SEVR		Boehm 17 Keys	65mm			_	Adjustable	4CM		
YCL-CX		6 Rings	031111	Granadilla	Silver-plated nickel silver			40101		
YCL-SE ARTISTMODEL-A		Boehm 19 Keys 6 Rings	65mm, 66mm	Grenadilla	nicker silver	nicker silver	Included	Aujustable	4CM	
YCL-CSG-A III		Boehm 18 Keys	54mm. 55mm	Edmm EEmm	Educate EEncore	1		Included		5CM
YCL-CSG-A III H	А	6 Rings	5411111, 5511111	י ן	Hamilton-plated			50101		
YCL-CSVR-A	A		65mm							
YCL-SEVR-A		Boehm 17 Keys	65mm		Silver-plated			4CM		
YCL-CX-A		6 Rings	66mm		nickel silver	_				

E^b **Clarinets**



YCL-CX

Custom YCL-CX B[,] clarinet Grenadilla body Keys: Silver-plated

YCL-CX-A A clarinet Grenadilla body Keys: Silver-plated YCL-650

Professional **YCL-650** B[,] clarinet Grenadilla body

Keys: Silver-plated

YCL-650E B[,] clarinet Grenadilla body Keys: Silver-plated With E[,] lever



Intermediate Duet

YCL-450

Intermediate

YCL-450

Grenadilla body

YCL-450E

Grenadilla body

With E[,] lever

Keys: Silver-plated

B[,] clarinet

Keys: Silver-plated

B[,] clarinet



Grenadilla insert injected ABS resin (upper joint) body Keys: Silver-plated YCL-255S

Student **YCL-255S** B[,] clarinet

Matte finish ABS resin body Keys: Silver-plated

YCL-255ES

B[↓] clarinet Matte finish ABS resin body Keys: Silver-plated With E[,] lever

YCL-881

Custom

YCL-881 E[,] clarinet Grenadilla body Keys: Silver-plated Keys: Silver-plated

YCL-681 E[,] clarinet Grenadilla body

YCL-681 II

Professional

B^b Clarinets Barrel length Body material Mouthpiece Model Key Fingering system Key material E[,] lever Thumb-rest YCL-650 Adjustable YCL-650E Included Grenadilla YCL-450 Boehm 17 Keys YCL-450E Silver-plated Included 4C ₽ŀ 65mm 6 Rings Grenadilla insert injected nickel silver Adjustable with YCL-450M strap ring ABS resin (upper joint) YCL-255S YCL-255ES Matte ABS resin Included

E[,] Clarinets

Model	Key	Fingering system	Barrel length	Body material	Key material	Optional E [,] lever	Thumb-rest	Mouthpiece
YCL-881	Eh	Boehm 17 Keys	42mm	Grenadilla	Silver-plated		Fixed	4C
YCL-681 II	Ε ^ν	6 Rings	4211111	Grenadilla	nickel silver	_	Fixed	40

E^b Alto Clarinet



YCL-622 II

B ⁵ Bass Clarinets	5							
Model	Key	Fingering system	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece	
YCL-622 II		24 keys, 7 covered finger holes	Grenadilla	Silver ploted pickel eilver Straight toneholes		Fixed		
YCL-621 II	B [,] Bass	20 keys, 7 covered finger holes	Grenadilla	Silver-plated nickel silver	with tapered undercut	Fixed	4C	
YCL-221 II S	1	19 keys, 7 covered finger holes	Matte ABS resin		with tapeled undercut	Adjustable	i	
E [,] Alto Clarinet								
YCL-631	E♭Alto	19 keys, 7 covered finger holes	Grenadilla	Silver-plated nickel silver	Straight toneholes with tapered undercut	Fixed	4C	

With adjustable thumb-rest

E [,] Alto Clarinet
YCL-631

9

Specifications subject to change without notice.

German Style Clarinets

YCL-857 II

Custom YCL-857 ||

B[,] clarinet Full Oehler system E/F bell mechanism 27 keys, 5 rings Grenadilla body

YCL-847 II

A clarinet

YCL-657 Professional **YCL-657**

B[,] clarinet Full Oehler system E/F bell mechanism 27 keys, 5 rings Grenadilla body

YCL-657-24

B[,] clarinet 24 keys, 5 rings

YCL-647 A clarinet

YCL-457 II-20

Student YCL-457 ||-20

B[,] clarinet 20 keys, 6 rings Grenadilla body Adjustable thumb-rest with neck strap ring

YCL-457 ||-22

B[,] clarinet 22 keys, 6 rings

YCL-457 ||-17

B[,] clarinet 17 keys, 4 rings

YCL-458 II-20

Austrian Style 20 keys, 6 rings Grenadilla body Adjustable thumb-rest with neck strap ring

YCL-458 ||-22

B[,] clarinet 22 keys, 6 rings

German Style Clarin	iets							
Model	Key	Fingering system	Barrel length	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece
YCL-857II	B♭					Tapered toneholes		
YCL-847II	A	Full Oehler 27 keys, 5 rings	F 4	– Grenadilla	Silver-plated nickel silver	with hand-tapered undercut	t Fixed	
YCL-657	B♭		54mm 56mm					
YCL-657-24	D'	Oehler 24 keys, 5 rings	3011111					M3D
YCL-647	A	Full Oehler 27 keys, 5 rings				Straight toneholes with tapered undercut		IVISD
YCL-457II-22		Oehler 22 keys, 6 rings	56mm					
YCL-457II-20		Oehler 20 keys, 6 rings	5011111					
YCL-45711-17	B♭	Oehler 17 keys, 4 rings	54mm				Adjustable	
YCL-458II-22		Austria 22 keys, 6 rings	56mm					МЗА
YCL-458II-20		Austria 20 keys, 6 rings	5011111					IVISA

Specifications subject to change without notice.

YCL-458 II-22 Student

B[,] clarinet



Oboes

YOB-831

Custom

YOB-831

Semi-automatic octave system With optional thumbplate key (YOB-831B) YOB-832 Custom

YOB-832

 Full-automatic octave system
 Semi-automatic octave system

 With optional F
 With optional resonance key
 With optional thumb-plate key (YOB-832F)

YOB-431

Intermediate

YOB-431

YOB-432

Intermediate YOB-432

Full-automatic octave system With optional F resonance key (YOB-432F) YOB-241

Student

YOB-241 Semi-automatic octave system ABS resin body



Duet⁺ (pronounced 'duet plus')

Yamaha oboes have achieved clear sound quality and superb intonation by dramatically improving precision and stability of the bore. Also to cope with various quality issues inherent in wooden wind instruments, Duet⁺ models employ innovative techniques to form a protective layer next to the air column.

The combination of precious wood and state-of-the-art resin is not simply a "Duet" of tradition and technology - it's a "Plus" advantage indeed!



Custom Series Duet⁺ Models (YOB-831L, 832L)

Ebonite Lining

The upper joint body is drilled out slightly larger, where a thin ebonite pipe with an oboe bore is adhered. Yamaha successfully developed oboes with both reliability and the warmth of wood.



Intermediate Series Duet+ Models (YOB-431M, 432M)

Insert Molding

Yamaha is premiering this new technique to offer an affordable solution. Molten resin is injected into the wooden tube, instantly forming the inside of the upper joint.

Please visit our website for more details at http://www.yamaha.com/

UDOES								
Model	System Bore styl		Bore style	Mechanical features	Trill keys	Body material	Thumb-rest	Keys
YOB-832	Conservatoire			3rd octave key, Left-hand F key, Triple C, Low B-C, Adjustable Fork F resonance key, B resonance key, Philadelphia D key	Low B-C [#] , Iow C-D [♭] , C [#] -D [#] , D [#] -E, F [#] -G [#] , G [#] -A, A [♭] -B [♭] , A [#] -B, B-C [#] ,		Adjustable	
YOB-831			European	3rd octave key, Left-hand F key, Adjustable Fork F resonance key, B resonance key, Philadelphia D key	C-D (RH, LH)	Grenadilla	Adjustable	Silver- plated nickel silver
YOB-432	Oliver lift and	Full-automatic		3rd octave key, Left-hand F key,	C [#] -D [#] , F [#] -G [#] , A [,] -B [,] , A [#] -B, B-C [#] ,			
YOB-431	Simplified Conservatoire	Semi-automatic		Fork F resonance key	C-D (RH, LH)		Fixed	
YOB-241	Conscivatoric	Senn-automatic	American	Lowest note: B ^k	C [#] -D [#] , F [#] -G [#] , A [#] -B, B-C [#] , C-D (RH)	ABS resin		

Duet^{*} Oboes

Applicable models	Key systems	Body material	Tone-holes	Accessories
All YOB-800 series models	Identical to models without the "L" suffix	Ebonite Inner-pipe (upper joint)	POM resin (except metal octave vents)	Deluxe multi-functional case bag (OBB-830L)
All YOB-400 series wooden models	Identical to models without the "M" suffix	Insert injected ABS resin (upper joint)	ABS resin (except metal octave vents, upper joint only)	—
			0	and the state of the second southly such as store

Bassoons



Custom

YFG-811/C

Brilliant tone, easy response Thinner wall

Custom

YFG-812/C

Round warm tone, powerful projection Thicker wall

■ Compact Type

Each model is available with either traditional or compact type body styles. Compact type bassoons have a different configuration which permits the use of a smaller case. When ordering a compact system bassoon, add 'C' to the model number.



Compact system

Mechanical Options

- 1. Right-hand top F# roller
- 2. Right-hand thumb F# rollers
- 3. Right-hand E rollers
- 4. Right-hand B[,] roller
- 5. Right-hand pp slide system
- 6. Right-hand E[,] trill key*
- 7. Left-hand rollers for C# & pp
- 8. Left-hand low C & low D rollers
- 9. Left-hand E^b trill key'
- 10. Joint hinge
- 11. A-pp arm connector
- 12. Silver tonehole tubes Right-hand E rollers
- * Please note that either #6 or #9 may be ordered, but both cannot be installed on the same instrument.



Left-hand rollers for C[#] & pp lock



- Yamaha's right-hand E rollers facilitate technique without altering key size.

Super Bocals

The shape of a bocal is just as important as the materials from which it is made and the method used for its construction. Yamaha offers four types to match the widest possible range of musical requirements.

C Type

This configuration has a smooth, consistent feel from the lowest to highest tones for excellent playability. The C type bocal features extremely accurate intonation with rich tonal character. This is the "student" Super Bocal model, and is an ideal choice for all-around playing.

E Type

The E type bocal combines comfortable breath resistance with a beautiful round tone which is constant throughout the

instrument's range. Pianissimo lownotes are especially easy to play with this bocal. An excellent match for the symphony orchestra, chamber orchestra, or other ensemble.

■ P Type

Outstanding high-range playability and tone make this bocal ideal for the soloist or first-chair orchestra player. In addition to high register security, the P-type bocal also offers a strong midrange with well-balanced low tones.

V Type

The V type bocal combines many of the best properties of the C, E and P types. It features easy playability, outstanding expressive capability, and an exceptionally well-defined tonal core. Excellent clarity for both classical and modern compositions.

Туре	Material	Pitch	Finish	
C-type	N: Silver-plated	1: Normal pitch	S: Silver-plated	
E-type	N. Silver-plated	i. Normai pitch		
P-type	B: Brass	0. Low pitch	H: Hamilton-plated	
V-type	D. DIASS	2: Low pitch	N: Nickel-plated	

Production on orders.

	bassoons								
	Model	Characteristics	Fingering system	Mechanical features	Trill keys	Boo	ły	Keys	Bocals
[YFG-811/C	Brilliant tone, easy response		High D key, 6 roller keys			Thinner wall		Super bocals
	YFG-812/C	Round warm tone, powerful projection	Heckel system	(low C [#] , low E [♭] , F [#] , A [♭] little finger, A [♭] thumb, F), B [♭] key guard, Balancer	F-G, E-F [#]	Long-seasoned maple	Thicker wall	Silver-plated nickel silver	CN1S CN2S



Saxophones

Custom Alto & Tenor Saxophones

All Yamaha Custom Saxophones are available in gold plate, silver-plate or black lacquer on special request. Z models are available unlacquered.





Model	Auxiliary keys	Bell decoration	Thumb hook	Neck	Bell	Key buttons	Finish
YAS-875EX/S	High F [#] , Front F	Hand engraved	Adjustable	AV1	- One-piece	Mother of pearl	Gold lacquer/Silver-plated*
YAS-82Z/S	High F [#] , Front F (Without high F [#] available)						Gold lacquer/Silver-plated* (Unlacquered available)
YTS-875EX/S	High F [#] , Front F			TE1			Gold lacquer/Silver-plated*
YTS-82Z/S	High F [#] , Front F (Without high F [#] available)			TV1			Gold lacquer/Silver-plated* (Unlacquered available)

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

13

Alto Saxophones



E[,] Alto Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Neck	Bell	Key buttons	Finish
YAS-62/S	YAS-480/S High F [#] , Front F	Hand engraved		62 style		Polyester	Gold lacquer/Silver-plated*
YAS-480/S			Adjustable	480 style	Two-piece		
YAS-280/S		Stamped		280 style			

*For silver-plated finish, add "S" to the model number.

Saxophones Tenor Saxophones



Ry Tenor Savonhones

D. Tonor ouxophones							
Model	Auxiliary keys	Bell decoration	Thumb hook	Neck	Bell	Key buttons	Finish
YTS-62/S		Hand engraved		62 style	Two-piece	Polyester	Gold lacquer/Silver-plated*
YTS-480/S	High F [#] , Front F		Adjustable	480 style			
YTS-280/S		Stamped		280 style			

*For silver-plated finish, add "S" to the model number.

Soprano Saxophones





Custom EX

YSS-875EXHG With high F# & G keys and Front F mechanism Supplied with two necks



With high F# key and Front F mechanism Unlacquered finish available **YSS-82ZR** With high F[#] key and Front F mechanism Unlacquered finish available

Custom Z

Intermediate YSS-475 II With high F# key and Front F mechanism

B[,] Soprano Saxophones

p sohrano saxohnone:	5							
Model	Auxiliary keys	Bell decoration	Thumb hook	Neck system	Neck style	Bell	Key buttons	Finish
YSS-875EX/S	High F [#] , Front F		Adjustable	Detachable	Straight: SG2	One-piece		Gold lacquer/Silver-plated*
YSS-875EXHG/S	High F [#] & G, Front F	Hand engraved			Curved: SG2R		Mother of pearl	
YSS-82Z/S					Straight	One-piece		
YSS-82ZR/S	High F [#] , Front F			One-piece	Curved			
YSS-475 II/S		Laser engraved			Straight	Two-piece	Polyester	Gold lacquer
*								

*For silver-plated finish, add "S" to the model number.

Saxophones

Baritone Saxophones



E[,] Baritone Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Neck	Bell	Key buttons	Finish	
YBS-82	High F [#] , Low A, Front F	Hand anground	Adjustable	BC1	One-piece	Mother of pearl		
YBS-62	High F [#] , Low A, Front F	Hand engraved		60 atula	Two minor	Debuester	Gold lacquer	
YBS-480	Low A, Front F	-		62 style	Two-piece	Polyester		

Woodwind Mouthpieces

Yamaha Custom saxophone and clarinet mouthpieces are sculpted out of choice ebonite, a high quality hard rubber which offers a deep resonance and tonal qualities similar to those of natural wood. Their accurate intonation and comfortable playability have made them popular with many leading artists.

The Standard model mouthpieces are made of a phenolic resin that delivers the full vibration of the reed with beautifully clear tone. Smooth breath flow helps to achieve agile response while providing easy playability for beginners.

Clarinet

Cus	tom			Standa	ard				1.11			
Model	B♭/A	B♭/A Clarinet		Model	E [,] Clarinet		B♭/A Clarinet		E [,] Alto Clarinet		B [↓] Bass Clarinet	
IVIOC	Facing length	Tip opening]	Model	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening
4C	A	1.05 mm		3C		0.95 mm		1.00 mm		1.30 mm		1.60 mm
	·		{	4C		1.00 mm		1.05 mm		1.40 mm		1.70 mm
5C	VI 21.0 mm	1.10 mm	.10 mm	5C	17.0 mm	1.05 mm	19.0 mm	1.10 mm	22.0 mm	1.50 mm	31.0 mm	1.80 mm
	_			6C		1.10 mm		1.20 mm]	1.60 mm]	1.90 mm
6C	vi	1.15 mm		7C		1.15 mm		1.30 mm		1.70 mm		2.00 mm

Comments

Model	Comments
3C	Easy control and good response from lower to higher ranges, even for beginners
4C	Helps obtain a well-balanced tone over all octaves, for professionals and beginners alike
5C	Facilitates a richer, fuller volume than 4C, with a greater tonal variety
6C	An excellent mouthpiece for experienced players seeking powerful volume, strong tone, and rich tone variety
7C	A jazz favorite for penetrating volume with a rich, strong sound and precise tonality



The Custom series Ebonite mouthpieces give you a sound so deep, so smooth, so rich, you'll feel like you're playing a new instrument. They come in a wide range of sizes and configurations.

Saxophone

Custom

ſ	Model	B [,] Soprano	Saxophone	E [↓] Alto Saxophone		B [,] Tenor S	Saxophone	E [,] Baritone Saxophone	
	wouer	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening
	3CM		1.20 mm		1.40 mm		1.60 mm	-	-
	4CM		1.25 mm		1.50 mm		1.70 mm	-	-
	5CM	19.0 mm	1.30 mm	22.0 mm	1.60 mm	24.0 mm	1.80 mm	30.0 mm	2.10 mm
	6CM		1.35 mm		1.70 mm		1.90 mm	-	-
	7CM		1.40 mm		1.80 mm		2.00 mm	-	-

Standard

Ma dal	B [,] Soprano	Saxophone	E [,] Alto Saxophone		B♭ Tenor S	Saxophone	E [,] Baritone Saxophone		
Model	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening	Facing length	Tip opening	
3C		1.15 mm		1.50 mm		1.60 mm	-	-	
4C		1.20 mm		1.60 mm		1.70 mm	-	-	
5C	19.0 mm	1.25 mm	23.0 mm	1.70 mm	24.0 mm	1.80 mm	28.0 mm	2.10 mm	
6C		1.30 mm		1.80 mm		1.90 mm	-	-	
7C		1.35 mm		1.90 mm		2.00 mm	-	-	

Comments

Model	Comments
3C	Suitable for beginners, helps bring out distinctive, clear sound with good response in high and low registers
4C	Easy to obtain a balanced, clear, and focused tone in any octave, ideal for professionals and beginners
5C	Provides a somewhat richer tone with greater variety of colors than 4C and excellent flexibility and response. Popular with soloists
6C	Powerful volume and rich tonal variations, excellent for experienced players
7C	Rich, bold, powerful volume and accurate attacks, well suited for jazz

Saxophone Custom Neck

			Due			Charling alluge
	Model		Bra			Sterling silver
		Gold lacquer	Silver-plated	Gold-plated	Unlacquer	Clear lacquer
	M1: Straight	SM1	SM1S	SM1GP	-	-
_	M1: Curved	SM1R	SM1RS	SM1RGP	-	-
For Soprano Saxes	F1: Straight	SF1	SF1S	SF1GP	-	-
YSS-875EX YSS-875EXHG	F1: Curved	SF1R	SF1RS	SF1RGP	-	-
133-6/5EXHG	G2	SG2	SG2S	SG2GP	-	-
	G2R	SG2R	SG2RS	SG2RGP	-	-
For Alto Saxes	V1	AV1	AV1S	AV1GP	AV1UL	AV1AG
YAS-875EX YAS-827	E1	AE1	AE1S	AE1GP	AE1UL	AE1AG
YAS-62 YAS-480	C1	AC1	AC1S	AC1GP	AC1UL	AC1AG
For Tenor Saxes	V1	TV1	TV1S	TV1GP	TV1UL	TV1AG
YTS-875EX YTS-827	E1	TE1	TE1S	TE1GP	TE1UL	TE1AG
YTS-62 YTS-480	C1	TC1	TC1S	TC1GP	TC1UL	TC1AG
For Devite no Cover	V1	BV1	BV1S	BV1GP	BV1UL	BV1AG
Baritone Saxes YBS-82	E1	BE1	BE1S	BE1GP	BE1UL	BE1AG
YBS-62 YBS-480	C1	BC1	BC1S	BC1GP	BC1UL	BC1AG



To meet the requirements of players performing at a high level, the neck can be changed depending on the performance scene and the genre.

Trumpets

B^b **Trumpets**





YTR-9335CHS Heavyweight B^b trumpet Yellow brass bell



YTR-9335NYS Heavyweight B^b trumpet Yellow brass bell

Xeno

YTR-8335 Heavyweight B^b trumpet Yellow brass bell

Xeh0 YTR-8345 Heavyweight Bⁱ trumpet Yellow brass bell

Xeno

YTR-8335R Heavyweight B[♭] trumpet Yellow brass bell Reverse tuning slide

Xeno

YTR-8345R Heavyweight B⁵ trumpet Yellow brass bell Reverse tuning slide



19

key	Bore size	Bell diameter	Bell type	Bell material	Weight	Finish	Mouthpiece
				Vallow brass		Silver-plated	TR17B4
	ML: 11.65mm (0.459")		YL3	fellow brass			161704
		100 mm (4 7/0")		Yellow brass/Gold brass	Heavy	Clear lacquer/Silver-plated*	TR16C4
B,	L: 11.73mm (0.462")	123mm (4-7/8)	YR				
4	ML: 11.65mm (0.459")	1	YL3				
	L: 11.73mm (0.462")	1	YR				
	key B ^{j,}	B ^J L: 11.65mm (0.459") L: 11.73mm (0.462") ML: 11.65mm (0.459")	B ^J L: 11.65mm (0.459") L: 11.73mm (0.462") ML: 11.65mm (0.459")	Bb ML: 11.65mm (0.459") YL3 L: 11.73mm (0.462") 123mm (4-7/8") YR ML: 11.65mm (0.459") YL3 YL3	Bb ML: 11.65mm (0.459") YL3 Yellow brass L: 11.73mm (0.462") 123mm (4-7/8") YR Yellow brass/Gold brass ML: 11.65mm (0.459") ML: 11.65mm (0.459") YL3 Yellow brass/Gold brass	Bb ML: 11.65mm (0.459") YL3 Yellow brass L: 11.73mm (0.462") 123mm (4-7/8") YR Yellow brass/Gold brass ML: 11.65mm (0.459") 123mm (4-7/8") YR Yellow brass/Gold brass	Bb ML: 11.65mm (0.459") 123mm (4-7/8") YL3 Yellow brass Silver-plated Bb L: 11.73mm (0.462") 123mm (4-7/8") YR Yellow brass/Gold brass Clear lacquer/Silver-plated*

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

VTR-9336NYS







Custom YTR-8335LA Medium-weight B⁵ trumpet Yellow brass bell

Custom

YTR-8330EM Lightweight B⁵ trumpet Yellow brass bell Reverse tuning slide

Custom Z

YTR-8310Z Lightweight B⁵ trumpet Yellow brass bell Reverse tuning slide

Professional YTR-6335RC Medium-weight B^b trumpet Gold brass bell Reverse tuning slide

Professional YTR-6335 Medium-weight B^{1,} trumpet Yellow brass bell

Professional YTR-6345G Medium-weight B[,] trumpet Gold brass bell

Intermediate YTR-5335G II Medium-weight B[,] trumpet Gold brass bell

Intermediate YTR-4335G II Medium-weight B⁵ trumpet Gold brass bell

B⁵ Trumpets

D. Humpoto								
Model	key	Bore size	Bell diameter	Bell type	Bell material	Weight	Finish	Mouthpiece
YTR-8335LA/LAS		ML: 11.65mm (0.459")	127mm (5")			Medium	Gold lacquer/Silver-plated*	TR14B4
YTR-8330EM		Step: 11.65mm (0.459")	134.4mm (5-1/4")	A	Yellow brass	Light	Gold lacquer	TREM1MK2
YTR-8310Z/ZS		Step: 11.30mm (0.445")	127mm (5")			Light	Gold lacquer/Silver-plated*	SHEW-JAZZ
YTR-6335/S	B♭	ML: 11.65mm (0.459")		YL2			Gold lacquer/Silver-plated	
YTR-6335RC	D						Gold lacquer	TR14B4
YTR-6345G/GS	-	L: 11.73mm (0.462")	123mm (4-7/8")	YR	Gold brass	Medium		161404
YTR-5335G II/GS II		ML: 11.65mm (0.459")		YL2	Gold blass	I	Gold lacquer/Silver-plated*	
YTR-4335G II/GS II		WIL. 11.05IIIII (0.459)		I LZ				TR11B4

*For silver-plated finish, add "S" to the model number.

Trumpets

B^b **Trumpets**





C Trumpets



Student YTR-3335 Medium-weight B⁵ trumpet Yellow brass bell Reverse tuning slide

Student YTR-2330 Medium-weight B⁵ trumpet Yellow brass bell



YTR-9445CHS Heavyweight C trumpet Yellow brass bell Reverse tuning slide

Xeno Artist Miodel Stra

YTR-9445NYS-YS Heavyweight C trumpet Yellow brass bell Bell type = YS4

YTR-9445NYS-YM Bell type = YM

Xeno

YTR-8445 Heavyweight C trumpet Yellow brass bell

B[,] Trumpets

Model	key	Bore size	Bell diameter	Bell type	Bell material	Weight	Finish	Mouthpiece
YTR-3335/S	Ph	MI - 11 65mm (0.450")	123mm (4-7/8")	VI 2	Vallow broop	Madium	Gold lacquer/Silver-plated	TR11B4
YTR-2330/S	B,	ML: 11.65mm (0.459")	123mm (4-7/8°)	YL2	Yellow brass	Medium	Gold lacquer/Silver-plated	IRIIB4

Xeno C Trumpet

Seno G Trumpet								
Model	key	Bore size	Bell diameter	Bell type	Bell material	Weight	Finish	Mouthpiece
YTR-9445CHS				YS4				
YTR-9445NYS-YS	3	L: 11.73mm (0.462")	123mm (4-7/8")	134	Yellow brass	Heavy	Silver-plated	TR17B4
YTR-9445NYS-YI	N C			YM				
YTR-8445/S/G/0	ŝS			YS4s	Yellow brass/Gold brass		Clear lacquer/Silver-plated*	TR16C4

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

21

C/B[,] Trumpet



with B[,] slide

Intermediate
YTR-4435 ||

Medium-weight C trumpet Yellow brass bell Includes a set of slides which convert it to B^b







Custom YTR-938FFMS

Heavyweight B[,] rotary trumpet Yellow brass bell 3rd valve slide trigger

Custom

YTR-948FFMS Heavyweight C rotary trumpet Yellow brass bell 3rd valve slide trigger With high C key

C/D ^e Humpet	C/B♭	Trumpet
-------------------------	------	---------

Model	key	Bore size	Bell diameter	Bell type	Bell material	Weight	Finish	Mouthpiece
YTR-4435 II/S II	С	ML: 11.65mm (0.459")	123mm (4-7/8")	YL2	Yellow brass	Medium	Gold lacquer/Silver-plated*	TR11B4
Bhand C Potany Trump	ote							

D ^s and O Rotary Hump	1013						
Model	key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-938FFMS/FFMGS	B♭	M: 11.24mm (0.442")	138mm (5-7/16")	Yellow brass/	Lleeuu	Silver-plated	TR16E4
YTR-948FFMS/FFMGS	С	WI: 11.24mm (0.442)	130mm (5-1/8")	Gold brass	Heavy	Silver-plated	IRIOE4

*For silver-plated finish, add "S" to the model number.

Trumpets

E/E^b/D Trumpets













Custom

YTR-9636 Heavyweight E[♭]/D trumpet Yellow brass bell With slides for E[♭] or D



Custom

YTR-9635 Heavyweight E/Eⁱ trumpet Yellow brass bell With bells & slides for E or Eⁱ



Custom

YTR-9610 Lightweight E^b/D trumpet Yellow brass bell With bells & slides for E^b or D



Professional YTR-6610S Lightweight E¹/D trumpet Yellow brass bell With slides for E¹ or D

Custom YTR-9710 G/F trumpet Yellow brass bell With bells and slides for G or F



E, E[,] & D Trumpets

E, E ^p & D Trumpets							
Model	key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-9636	E♭/D	ML: 11.65mm (0.459")	123mm (4-7/8")		Heavy		
YTR-9635	E/E♭	ME. 11.0511111 (0.459)	1231111 (4-7/8)		Tleavy		TR14B4
YTR-9610	E∳/D		120mm (4-3/4")	Yellow brass		Silver-plated	181404
YTR-6610S		M: 11.30mm (0.445")	12011111 (4-3/4)		Light		
YTR-9710	G/F		101mm (4") & 110mm (4-1/3")				TR14A4A

Piccolo Trumpets







Herald Trumpet



Custom

YTR-988 B^J/A rotary Piccolo trumpet Yellow brass bell With leadpipes for B[,] or A



Custom

YTR-9835

B^b/A Piccolo trumpet Yellow brass bell With two sets of leadpipes for cornet shank and trumpet shank in B^{\flat} and A.



Custom

YTR-9825

B^J/A Piccolo trumpet Yellow brass bell With rotor valve on 3rd valve slide With two sets of leadpipes for cornet shank and trumpet shank in B[,] and A.



Professional **YTR-6810S**

B[,]/A Piccolo trumpet Yellow brass bell With leadpipes for B[,] or A



Professional **YTR-6335F** B[,] herald trumpet Yellow brass bell

Piccolo Trumnets

Piccolo Trumpets							
Model	key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-988		S: 10.38mm (0.409")	97.9mm (3-15/16")		Light		TR11A5
YTR-9835	B∘/A	M: 11.30mm (0.445")	101mm (4")	Yellow brass	Medium	Silver-plated	TR11A5. CR11A4
YTR-9825	D'/A	M. 11.3011111 (0.445)	10111111 (4)	renow brass	weatum	Silver-plated	TRHAD, CRHA4
YTR-6810S		S: 10.50mm (0.413")	94mm (3-7/10")		Light		TR14A4A
	·					·	

B[,] Herald Trumpet

YTR-6335F/S	B,	ML: 11.65mm (0.459")	123mm (4-7/8")	Yellow brass	—	Clear lacquer/Silver-plated*	TR14B4
*For silver-plate	d finish, add	"S" to the model numbe	r.			Specifications subject to cl	nange without notice.

e.



Yellow brass

Yellow brass

Light

Medium

YCR-9435 С ML: 11.65mm (0.459") For silver-plated finish, add "S" to the model number.

E♭

ML: 11.65mm (0.459")

119.0mm (4-2/4")

123.0mm (4-7/8")

Silver-plated Specifications subject to change without notice.

CR7D4d

TR16C4

Silver-plated

25

YCR-2610S III

C Cornet

Flugelhorns







Custom YFH-8315G B[,] flugelhorn Gold brass bell



Professional **YFH-631G** B[,] flugelhorn Gold brass bell 3rd valve slide trigger

B[,] Flugelhorns

Model	key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YFH-8310Z/ZS/ZG/ZGS		S: 10.5mm (0.413")		Yellow brass/Gold brass			SHEW
YFH-8315G/GS	B⊦	5: 10.5mm (0.413)	151.8mm (6")	Cald brace	Medium	Clear lacquer/Silver-plated*	14F4
YFH-631G/GS		M: 11.0mm (0.433")		Gold brass			11F4

*For silver-plated finish, add "S" to the model number.

Horns

BRASS Instruments

Triple & Double Descant Horns



YHR-891

Custom

YHR-891 F/B[,]/high F triple horn Handmade construction With detachable bell (YHR-891D)

Double Horns



YHR-892 F/B[,]/high F triple horn Handmade construction A/+ valve With detachable bell (YHR-892D)



YHR-881 B^b/high F double descant horn Handmade construction A/+ valve

Custom

With F natural valve (YHR-882) With detachable bell (YHR-881D/882D)

Custom

YHR-871

(YHR-871D)

F/B[,] double horn

With detachable bell

Custom

YHR-869D

YHR-869D

F/B[,] double horn Detachable bell With gold brass bell (YHR-869GD)



YHR-871D

•	Triple & Doub	le Descant Horns										
	Model	key	Bore	Bell size	Bell type	Material	Valves	Valve casings	Valve rotors	Lever action	Finish	Mouthpiece
	YHR-891	F/B♭/high F			Fixed	Yellow brass	5		Hollow			
	YHR-892	F/B♭(A+)/high F	12mm	MS	(Detachable	(Gold brass,	6	Nickel silver	(Solid available)	Mechanical	Unlessuer	30C4
	YHR-881	B♭(A+)/high F	(0.472")	(ML available)	available)*	Nickel silver	5	NICKEI SIIVER	Solid	(String available)	Unlacquer	3004
	YHR-882	B [,] (A+, FN)/high F				available)	6		(Hollow available)			

*For detachable bell add 'D' to the model number.

Double Horns



Double Horns

Donnie uotiis									1	1	
Model	key	Bore	Bell size	Bell type	Material	Valves	Valve casings	Valve rotors	Lever action	Finish	Mouthpiece
YHR-869D		12.1mm	MS	Detachable	Yellow brass** (Gold brass available)			Solid	Mechanical	Clear lacquer	34C
YHR-871		(0.476")	М		Mallana kura a		Nickel silver	Solid (4th rotor: hollow)		Clear lacquer (Unlacquer available) [*]	32C4
YHR-671	F/B♭			Fixed	Yellow brass	4			String		
YHR-668		12.0mm	LL	(Detachable					_		30D4
YHR-668N		(0.472")	LL	available)*	Nickel silver			Solid		Clear lacquer	3004
YHR-567		. ,	М		Yellow brass** (Gold brass available)		Yellow brass		String (Mechanical)		32C4

*For detachable bell add 'D' to the model number. **For gold brass bell add 'G' to the model number. *For unlacquered finish add 'UL' to the model number.

Single Horns

YHR-322 II B [,] (A+) 12mm	NA	Fixed	Yellow brass	4	Yellow brass	Solid	String	Clear lacquer	2004
YHR-314 II F	(0.472")	IVI	Fixed	renow brass	3	renow brass	30110	String	Clear lacquer	3204
								0 10 11	1.1	

BRASS Instruments



Tenor Trombones

Tenor Trombolica	,							
Model	key	Bore size	Bell size	Bell material	Slide Material (Outer/Inner)	Finish	Mouthpiece shank	Mouthpiece
YSL-891Z		M: 12.9mm (0.508")	204.4mm (8")					45C2
YSL-897Z		Dual: 12.29-12.45mm (0.484"-0.490")	190.4mm (7-1/2")	Yellow brass		Gold lacquer	Small	46C2
YSL-881		L: 13.89mm (0.547")	220.0mm (8-2/3")		Yellow brass/Nickel silver	Clear lacquer	Large	51C4L
YSL-881G		L. 13.8911111 (0.547)	220.011111 (6-2/3)	Gold brass		Clear lacquer	Large	51C4L
YSL-630	B♭	ML: 13.34mm (0.525")		Yellow brass			Small	48
YSL-610		L: 13.89mm (0.547")	214.4mm (8-1/2")	Tellow blass		Gold lacquer	Large	48L
YSL-447G		E. 13.8911111 (0.547)	214.411111 (0-1/2)	Gold brass		Gold lacquel	Large	40L
YSL-445G		ML: 13.34mm (0.525")		Gold blass	Nickel silver/Nickel silver		Small	48
YSL-354/S		M: 12.7mm (0.500")	204.4mm (8") Yellow brass			Gold lacquer/Silver-plated*	Small	48

29 *For silver-plated finish, add "S" to the model number. (354 and 8XX model only)



B^b/F Tenor Bass Trombones Slide Material Mouthpiece Model Bore size Bell size Bell material Finish Mouthpiece kev (Outer/Inner) shank YSL-882OR Yellow brass YSL-882GOR Gold brass YSL-8820 Yellow brass L: 13.89mm (0.547") 220.0mm (8-2/3") 51C4L Clear lacquer Large YSL-882GO Gold brass YSL-882 Yellow brass Yellow brass/Nickel silver YSL-882G Gold brass B♭/F ML: 13.34mm (0.525") YSL-640 Small 48 Yellow brass YSL-620 YSL-548GO L: 13.89mm (0.547") 214.4mm (8-1/2") Large 48L Gold lacquer YSL-448G Gold brass YSL-446G ML: 13.34mm (0.525") Nickel silver/Nickel silver Dual: 12.7-13.34mm (0.500"-0.525") Small 48 YSL-356G 204.4mm (8")

Xeno **YSL-8820R**

B[♭]/F tenor bass L bore Yellow brass bell

Xeno

YSL-8820 B♭/F tenor bass L bore Yellow brass bell

Xeno

YSL-882 B[♭]/F tenor bass L bore Yellow brass bell

Professional **YSL-620** B♭/F tenor bass L bore

Yellow brass bell

Professional **YSL-640** B♭/F tenor bass ML bore Yellow brass bell

Intermediate **YSL-548GO** B[,]/F tenor bass

L bore Yellow brass bell

Intermediate **YSL-448G** B[♭]/F tenor bass L bore Gold brass bell

Intermediate **YSL-446G** B♭/F tenor bass ML bore

Gold brass bell

Student **YSL-356G** B♭/F tenor bass

Dual bore Gold brass bell

Trombones

Bass Trombones



Xeno

YBL-835 Heavyweight bass B^b/F/G^b/D in-line valves LL bore Yellow brass bell

Xeno

YBL-822G Heavyweight bass B³/F & B³/F/D offset valves LL bore Gold brass bell Second valve detachable

Professional

 $\begin{array}{l} \textbf{YBL-620G} \\ B^{\flat}/F/E^{\flat} \& B^{\flat}/F/D \text{ bass} \\ \text{offset valves} \\ LL \text{ bore} \\ \text{Gold brass bell} \\ D \text{ slide included} \end{array}$

Intermediate YBL-421G B^b/F bass LL bore Gold brass bell

Student YSL-354V B[♭] valve M bore Yellow brass bell

Student YSL-354VC C valve M bore Yellow brass bell

YSL-354VC valve trombone is also available by special order.

Compact Trombone



The 350C is a full-sized trombone, using traditional slide positions, but it's much shorter in length. The ascending C valve allows you to play a full scale without using 6^{th} or 7^{th} positions. It is ideal for children who just can't stretch their arms far enough to play all the slide positions, but it is also suitable for adults.

Student YSL-350C B^b/C compact with C ascending valve Dual bore Gold brass bell

- tř



Alto Trombones



Custom YSL-872 E^b/D Alto

Dual bore Yellow brass bell

Custom

YSL-871 E[,] Alto Dual bore Yellow brass bell

Bass	Trombones

Model	key	Bore size	Bell size	Bell material	Slide Material (Outer/Inner)	Finish	Comments	Mouthpiece shank	Mouthpiece
YBL-835 YBL-835G	B♭/F/G♭/D			Yellow brass Gold brass	Yellow brass/	Clear lacquer	Detachable bell available* In-line valves		61D4L
YBL-835S]	LL: 14.3mm (0.563") 2		Yellow brass	Nickel silver	Silver-plated	In-line valves		
YBL-822G	B♭/F & B♭/F/D		241.0mm (9-1/2")			Clear lacquer	Offset valves, 2nd valve detachable	Large	YEO
YBL-620G	B [♭] /F/E [♭] & B [♭] /F/D			Gold brass	Nickel silver/ Nickel silver	Gold lacquer	Offset valves, Nickel-silver side, D slide included		58L
YBL-421G	B♭/F					Clear lacquer	_		

*For detachable bell add "D" to the model number.

Valve Trombones

Compact Trombone	YSL-354V YSL-354VC	B [,]	M: 12.7mm (0.500")	204.4mm (8")	Yellow brass	Nickel silver/	Gold lacquer	3 piston valves	Small	48
Compact Trombone	131-35440	C	<u> </u>		<u> </u>		1		1	
	Compact Tromb	one								
YSL-350C B ^b /C Dual: 12.7-13.34mm (0.500" - 0.525") 204.4mm (8") Gold brass Yellow brass/ Nickel silver Gold lacquer - Small	YSL-350C	B⊬/C		204.4mm (8")	Gold brass		Gold lacquer	_	Small	48

Alto Trombones

Alto Hollibolio3									
YSL-872	E♭/D Alto	Dual: 11.95-12.45mm	181.8mm (7-1/8")	Yellow brass	Yellow brass/Nickel silver	Clear lacquer	_	Small	48A
YSL-871	E♭ Alto	(0.470"-0.490")	181.8mm (7-1/8-)	renow brass	Nickel silver/Nickel silver	Clear lacquer	_	Sman	48A
							0		

Tenor Horns/Baritones Tenor (Alto) Horns



Tenor (Alto) Horns

YAH-803/S

YAH-203/S

Baritone Horns YBH-831/S

YBH-621/S

YBH-301/S

Model

For silver-plated finish, add "S" to the model number.

Bore size

13.2-14.0mm (0.520"-0.551")

12.8-13.5mm (0.504"-0.531")

11.9mm (0.469")

11.73mm (0.462")

12.8mm (0.504")

Bell size

210mm (8-1/4")

205mm (8-1/6")

240mm (9-3/5")

211mm (8-3/8")

Material

Yellow brass

Yellow brass

Specifications subject to change without notice.

Clear lacquer/Silver-plated*

....., at

key

E♭

B۶

 Valves
 Finish

 3 valves
 Clear lacquer/Silver-plated*

 Gold lacquer/Silver-plated*

3 valves

4 valves

3 valves

Intermediate YBH-301 In B^b Valves: 3 top action

Mouthpiece

38D4

37C4

48S

45C2

Euphoniums

Custom

In B♭

YEP-842S

Valves: 3 top,

1 side action

Silver-plated with Gold-plated trim

YEP-842TS With Trigger system





Neo

In B[,]

YEP-642 II

Valves: 3 top,

1 side action

YEP-642T With Trigger system

Compensating system

Without Trigger system

YEP-642S II

Intermediate **YEP-321** In B[,]

Valves: 4 top action

YEP-321

YEP-211

YEP-211 In B[,] Valves: 3 front action Bell front design

Student

Student

YEP-621S

YEP-201 In B♭ Valves: 3 top action Marching type models are available

1

YEP-201

All photos are approximately in scale

Euphoniums	uphoniums All photos are approximately in scale.										
Model	key	Bore size	Bell size	Material	Valves	Trigger system	Finish	Mouthpiece			
YEP-842S						—	Silver-plated	53DL			
YEP-842TS		15 0 16 9mm (0 501" 0 661")	200mm(11.4/5")		3 top action + 1 side action	Included	Silver-plated	55DL			
YEP-64211/S11		15.0-16.8mm (0.591"- 0.661")	30011111 (11-4/5)		compensating	_					
YEP-642T/TS	B♭			Yellow brass		Included					
YEP-621/S		14.5-16.8mm (0.571"-0.661")		Tellow blass	3 top action + 1 side action		Clear lacquer/ Silver-plated*				
YEP-321/S]	14.5-15.5mm (0.571"-0.610")	280mm (11")		4 valve						
YEP-211/S]	14.5mm (0.571")	20011111 (11.)		3 valve	_		48			
YEP-201/S]	14.5000 (0.571)			5 valve						

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice. 34

Professional

YEP-621

1 side action

In B♭ Valves: 3 top,

Tubas BB^b **Tubas**

Custom **YBB-841**

In BB[,] 4 rotary valves

YBB-841G In BB^b 4 rotary valves Material: Gold brass



5

YBB-841G

Professional **YBB-641** In BB[,] 4 rotary valves **YBB-645G** In BB[↓] 4 rotary valves Material: Gold brass

24

YBB-641



Neo **YBB-632** In BB^b 3 pistons, 1 side piston Compensating system Front action: 4 pistons

Professional

YBB-621

In BB

YBB-621S



YBB-321

Intermediate **YBB-321** In BB Top action: 4 pistons YBB-201

Student **YBB-201**

In BB Top action: 3 pistons Marching type models are available



YBB-105

Student **YBB-105** In BB Top action: 3 pistons Marching type models are available

All photos are approximately in scale.

BB♭ Tubas					All phot	os are approxin	nately in scale	
Model	key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece	
YBB-841		20.7mm (0.815")	450mm (17-3/4")	Yellow brass				
YBB-841G		20.7mm (0.815)	450mm (17-3/4)	Gold brass	4 rotary valves	Clear lacquer	67C4	
YBB-641		20.6mm (0.811")	419mm (16-1/2")	Yellow brass	4 locary valves	Clear lacquer	0704	
YBB-645G		20.7mm (0.815")	41911111 (10-1/2)	Gold brass				
YBB-632/S	BB♭	18.5-20.0mm (0.728"-0.787")	500mm (19-5/8")		3 top action + 1 side action		66D4	
YBB-621/S		17.5-18.5mm (0.689"-0.728")	366mm (14-3/8")		Front 4 pistons			
YBB-321/S		18.5-19.5mm (0.728"-0.768")	443mm (17-1/2")	Yellow brass	Top 4 pistons	Clear lacquer/ Silver-plated*	67C4	
YBB-201/S		18.5mm (0.728")	443000 (17-1/2)	Top 3 pistons		Silver-plated		
YBB-105/S		16.8mm (0.661")	366mm (14-3/8")		Top 3 pistons		67	

*For silver-plated finish, add "S" to the model number.

Tubas F Tubas

Custom **YFB-822** In F Front action: 4 pistons, 1 rotary valve a whole step down

Professional

YFB-621

half step down with whole step slide

Front action: 4 pistons, 1 rotary valve

In F

YFB-822

E^b Tubas



FTubas All photos are approximately in scale.										
Model	key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece			
YFB-822/S	F	19.5mm (0.768")	446mm (17-1/2")	Yellow brass	Front 4 pistion, 1 rotary	Clear lacquer/Silver-plated*	67B4			
YFB-621/S	Г	17.5-18.5mm (0.689"-0.728")	366mm (14-3/8")	renow brass	valve	Clear lacquer/Silver-plated	0784			

F Juha

E ^p Tubas								
Mc	odel	key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YEB-63	32/S		17.5-18.5mm (0.689"- 0.728")	480mm (19")		3 top + 1 compensating		
YEB-32	21/S	E⊧		386mm (15-1/4")	Yellow brass	Top 4 pistons	Clear lacquer/Silver-plated*	66D4
YEB-20	01/S		17.5mm (0.689")	380mm (15-1/4)		Top 3 pistons		

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

YFB-621S

CC Tubas



Custom

YCB-861 In CC 5 rotary valves 5th rotary: a whole step down

YCB-822 In CC Front action: 4 pistons, 1 rotary valve a whole step down with 2 step slide

Professional **YCB-621** In CC Front action: 4 pistons

CC Tubas

All photos are approximately in scale.

00 10000							-
Model	key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YCB-861		20.7mm (0.815")	450mm (17-3/4")		5 rotary valves	Clear lacquer	
YCB-822/S	С	19.5mm (0.768")	500mm (19-5/8")	Yellow brass	Front 4 pistons, 1 rotary valve	Clear lacquer/	67C4
YCB-621/S		17.5-18.5mm (0.689 - 0.728")	366mm (14-3/8")		Front 4 pistons	Silver-plated*	

*For silver-plated finish, add "S" to the model number.

Marching Brass



YMP-204MS

Marching Mellophone YMP-204M

In F 3 pistons with mouthpiece adapter for French Horn



YHR-302M

Marching French Horn YHR-302M

In B♭ 3 pistons 1st slide thumb hook



YBH-301M

Marching Baritone YBH-301M In B₂

3 pistons 1st slide thumb hook



Marching Euphonium YEP-202M In B_b 3 pistons 1st slide thumb hook



YEP-201MS

Convertible Euphonium YEP-201M In B♭ 3 pistons For left shoulder, converts to right shoulder



Convertible Tuba YBB-105M In BB[,] 3 pistons For left shoulder

Marching Brass

All photos are approximately in scale.

Specifications subject to change without notice.

marching brass							P	The second	,
M	odel	key	Bore size	Bell size	Material	Finish	Weight	Length	Mouthpiece
Mellophone	YMP-204M/MS	F	11.73mm (0.462")	268.5mm (10-9/16")			1.6kg (3.5lb)	438mm (17-1/4")	14F4
French Horn	YHR-302M/MS	B⊧	12.0mm (0.472")	257mm (10-1/8")			1.6kg (3.5lb)	471mm (18-9/16")	30C4
Baritone	YBH-301M/MS	B⊧	14.5mm (0.571")	254mm (10")			2.5kg (5.5lb)	501mm (19-3/4")	48L
Euphonium	YEP-202M/MS	B⊧	14.5mm (0.571")	300mm (11-4/5")	Yellow brass	Clear lacquer/	3.3kg (7.3lb)	602mm (23-11/16")	51L
Euphonium	YEP-201M/MS	B⊧	14.5mm (0.571")	280mm (11")	renow prass	Silver-plated*	3.5kg (7.7lb)	662mm (26-1/8")	48
	YBB-202M/MS		18.5mm (0.728")	500mm (19-5/8")			9.3kg (20.5lb)	1,052mm (41-7/16")	67C4
Tuba	YBB-201M/MS	BB♭	18.5mm (0.728")	443mm (17-1/2")			9.0kg (19.8lb)	1,018mm (40 <i>-</i> 1/16")	67C4
	YBB-105M/MS		16.8mm (0.661")	366mm (14-3/8")			6.2kg (13.7lb)	827mm (32-9/16")	67

*For silver-plated finish, add "S" to the model number.



Convertible Tuba YBB-201M In BB♭

3 pistons For left shoulder



YBB-202MS

Sousaphones

YSH-411 In BB[,] Yellow brass 3 pistons (Without case, case available by separate order)

WYAMAHA

YSH-301

ABS resin bell, FRP body 3 pistons With soft case (Without case or hard case also available)



In BB[,]

YSH-301

All photos are approximately in scale. (except Sousaphones)

BB [,] Sousaphones	BB [,] Sousaphones All photos are approximately in scale. (except Sousaphones)										
Model key Bore size Bell size Material Valves Finish Weight Mour											
YSH-301/S	BB⊦	18.5mm (0.728")	663mm (26-1/8") ABS resin bell, FRP body		3 pistions	Clear lacquer/Silver-plated* (Slides, valve casing and leadpipe)	9.1kg (20.1lb)	67C4			
YSH-411/S 660mm (26") Yellow brass Clear lacquer/Silver-plated* 12.5kg (27.6lb)											

*For silver-plated finish, add "S" to the model number.

Brass Mouthpieces

Standard Series

Produced using the most advanced computer design and manufacturing technology, our Standard Series mouthpieces feature unmatched precision, smooth attack, secure control, and easy playability. They have the ideal weight for all-around usage, and are available in over 100 configurations. There's a Yamaha mouthpiece to suit every player.

Trumpet Mouthpieces

	<u>let moutinpi</u>					1
Model		Rim		Cup Depth	Throat	Backbore
No.	Inner Diameter	Contour	Thickness			
5A4	15.90 mm	semi-flat	thick	shallow	3.65 mm	narrow
6A4a	15.90 mm	semi-flat	thick	shallow	3.65 mm	narrow
7A4	16.24 mm	semi-flat	thick	shallow	3.65 mm	narrow
7B4	16.08 mm	semi-flat	thick	semi-shallow	3.72 mm	standard
8C4	16.19 mm	semi-flat	standard	standard	3.65 mm	semi-narrov
9C4	16.28 mm	semi-flat	standard	standard	3.65 mm	semi-narrov
11A4	16.46 mm	semi-flat	semi-thick	shallow	3.65 mm	semi-narrov
11A5	16.38 mm	semi-flat	thick	shallow	3.65 mm	semi-wide
11B4	16.46 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrov
11	16.32 mm	standard	semi-thick	standard	3.72 mm	standard
11C4	16.46 mm	semi-flat	standard	standard	3.65 mm	semi-narro
13A4a	16.20 mm	semi-flat	thick	shallow	3.65 mm	narrow
13B4	16.63 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narro
13C4	16.50 mm	semi-flat	standard	standard	3.65 mm	semi-narro
13D4	16.68 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narro
14A4a	16.68 mm	semi-flat	semi-thick	shallow	3.65 mm	narrow
14B4	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrov
14C4	16.88 mm	semi-flat	standard	standard	3.65 mm	semi-narro
14D4	16.80 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narro
14E4	16.84 mm	semi-flat	semi-thick	deep	3.88 mm	wide
15B4	16.96 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narro
15C4	16.98 mm	semi-flat	standard	standard	3.65 mm	semi-narro
15E4	16.92 mm	semi-flat	semi-thick	deep	3.88 mm	wide
16C4	17.00 mm	semi-flat	standard	standard	3.65 mm	semi-narro
16D	17.14 mm	standard	standard	semi-deep	3.65 mm	semi-narro
16E4	17.14 mm	semi-flat	semi-thick	deep	3.88 mm	wide
17B4	17.30 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narro
17C4	17.30 mm	semi-flat	standard	standard	3.65 mm	semi-narro
17D4	17.30 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narro
18C4	17.42 mm	semi-flat	standard	standard	3.65 mm	semi-narro

Cornet Mouthpieces (Short Shank)

7D4dS	16.24 mm	semi-flat	thick	semi-deep	4.10 mm	semi-wide
8D2S	16.36 mm	semi-round	standard	semi-deep	4.10 mm	wide
9ES	16.44 mm	standard	standard	deep	4.50 mm	semi-wide
11C4S	16.46 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
11E4S	16.46 mm	semi-flat	standard	deep	4.20 mm	standard
13E4S	16.70 mm	semi-flat	standard	deep	4.50 mm	standard
14ES	16.86 mm	standard	standard	deep	3.98 mm	standard
16ES	17.05 mm	standard	standard	deep	3.98 mm	standard

Cornet Mouthpieces (Long Shank)

6B4L	15.65 mm	semi-flat	semi-thick	semi-shallow	3.76 mm	standard
7A4L	16.24 mm	semi-flat	thick	shallow	3.65 mm	standard
9C4L	16.28 mm	semi-flat	standard	standard	3.65 mm	standard
11A4L	15.99 mm	semi-flat	standard	shallow	3.65 mm	semi-narrow
11B4L	16.64 mm	semi-flat	standard	shallow	3.65 mm	semi-wide
11C4L	16.46 mm	semi-flat	standard	standard	3.65 mm	standard
13B4L	16.63 mm	semi-flat	standard	semi-shallow	3.65 mm	standard
14A4aL	16.68 mm	semi-flat	standard	shallow	3.65 mm	standard
14B4L	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	standard
15C4L	16.98 mm	semi-flat	standard	standard	3.65 mm	standard
16C4L	17.00 mm	semi-flat	standard	standard	3.65 mm	standard
17C4L	17.30 mm	semi-flat	standard	standard	3.65 mm	standard

Flugelhorn Mouthpieces

7F4	16.24 mm	semi-flat	thick	deep	4.30 mm	standard
11F4	16.46 mm	semi-flat	standard	standard	3.80 mm	standard
13F4	16.66 mm	semi-flat	standard	standard	4.30 mm	standard
14F4	16.76 mm	semi-flat	standard	standard	4.30 mm	standard
16F4	17.00 mm	semi-flat	standard	deep	4.30 mm	standard
17F4	17.22 mm	semi-flat	standard	deep	4.50 mm	standard



Alto Horn Mouthpieces

Model		Rim			Throat	Backbore
No.	Inner Diameter	Contour	Thickness	Cup Depth	Throat	Dackbore
37C4	18.60 mm	semi-flat	standard	standard	5.25 mm	standard
38D4	18.90 mm	semi-flat	standard	semi-deep	5.25 mm	standard

French Horn Mouthpieces

	29B	17.07 mm	standard	semi-thick	semi-shallow (V-cup)	3.90 mm	semi-wide
	29C4	17.08 mm	semi-flat	thick	standard (U-cup)	3.98 mm	standard
	29D4	16.88 mm	semi-flat	standard	semi-deep (double-cup)	4.50 mm	semi-narrow
1	30B	17.27 mm	standard	standard	semi-shallow (V-cup)	3.90 mm	semi-wide
	30C4	17.28 mm	semi-flat	standard	standard (U-cup)	3.98 mm	standard
	30D4	17.08 mm	semi-flat	standard	semi-deep (double-cup)	4.50 mm	semi-narrow
	31B	17.47 mm	standard	standard	semi-shallow (V-cup)	3.90 mm	semi-wide
	31D4	17.28 mm	semi-flat	standard	semi-deep (double-cup)	4.50 mm	semi-narrow
	32B	17.67 mm	standard	semi-thick	semi-shallow (V-cup)	3.90 mm	semi-wide
	32C4	17.48 mm	semi-flat	standard	standard (U-cup)	3.98 mm	standard
	32D4	17.48 mm	semi-flat	standard	semi-deep (double-cup)	4.50 mm	semi-narrow
	33C4	17.68 mm	semi-flat	standard	standard (U-cup)	3.98 mm	standard
	34B	18.07 mm	standard	semi-thick	semi-shallow (V-cup)	3.90 mm	semi-wide
1	34C4	17.88 mm	semi-flat	standard	standard (U-cup)	3.98 mm	standard
	35C4	18.08 mm	semi-flat	standard	standard (U-cup)	3.98 mm	standard

Trombone, Baritone Euphonium Mouthpieces (Small Shank)

45AS	24.26 mm	standard	standard	shallow	5.85 mm	semi-narrow
45C2S	24.26 mm	semi- round	standard	standard	5.85 mm	semi-narrow
46BS	24.58 mm	standard	standard	semi-shallow	5.85 mm	semi-narrow
46C2S	24.59 mm	semi- round	standard	standard	5.85 mm	semi-narrow
47S	24.98 mm	standard	standard	standard	5.85 mm	semi-narrow
48AS	25.25 mm	standard	standard	shallow	5.32 mm	semi-narrow
48S	25.25 mm	standard	standard	standard	6.62 mm	semi-wide
48DS	25.25 mm	standard	standard	semi-deep	6.62 mm	semi-wide
51BS	25.23 mm	standard	standard	semi-shallow	6.92 mm	semi-wide
51C4S	25.23 mm	semi-flat	standard	standard	6.92 mm	semi-wide
51S	25.23 mm	standard	standard	standard	6.92 mm	semi-wide
51DS	25.24 mm	standard	standard	semi-deep	7.11 mm	semi-wide
52S	25.65 mm	standard	standard	standard	7.11 mm	semi-wide

Trombone & Euphonium Mouthpieces (Large Shank)

TIONIK	Tombolie & Euphonium Mouthpieces (Earge Shank)								
47L	24.98 mm	standard	standard	standard	5.85 mm	standard			
48L	25.25 mm	standard	standard	standard	6.62 mm	semi-narrow			
48DL	25.25 mm	standard	standard	semi-deep	6.62 mm	semi-narrow			
51BL	25.23 mm	standard	standard	semi-shallow	6.92 mm	semi-wide			
51C4L	25.23 mm	semi-flat	standard	standard	6.92 mm	semi-wide			
51L	25.23 mm	standard	standard	standard	6.92 mm	semi-wide			
51DL	25.24 mm	standard	standard	semi-deep	7.11 mm	standard			
52L	25.65 mm	standard	standard	standard	7.11 mm	semi-wide			
53L	25.91 mm	standard	standard	standard	7.11 mm	semi-wide			
53DL	26.08 mm	standard	standard	standard	7.11 mm	semi-wide			
54L	26.15 mm	standard	standard	standard	7.11 mm	semi-wide			
55L	26.35 mm	standard	standard	standard	7.11 mm	semi-wide			

Bass Trombone Mouthpieces

Model	Model Rim				Throat	Backbore
No.	Inner Diameter	Contour	Thickness	Cup Depth	Inioat	Dackbore
58L	26.84 mm	standard	standard	standard	7.25 mm	semi-wide
59L	27.22 mm	standard	semi-thin	standard	7.25 mm	semi-wide
60BL	27.83 mm	standard	semi-thick	semi-shallow	6.92 mm	semi-wide
60L	28.25 mm	standard	thin	standard	8.10 mm	wide
61D4L	28.72 mm	semi-flat	semi-thin	semi-deep	8.00 mm	semi-wide

Tuba Mouthpieces

Iana										
64	30.45 mm	standard	thick	standard	8.35 mm	standard				
65	30.95 mm	standard	semi-thin	standard	8.35 mm	semi-wide				
66B	31.37 mm	standard	standard	semi-shallow	8.35 mm	semi-wide				
66	31.37 mm	standard	standard	standard	8.35 mm	standard				
66D4	31.49 mm	semi-flat	semi-thick	semi-deep	8.87 mm	semi-wide				
67B4	32.06 mm	semi-flat	semi-thick	semi-shallow	7.02 mm	standard				
67	31.93 mm	standard	standard	standard	8.35 mm	semi-wide				
67C4	32.06 mm	semi-flat	semi-thick	standard	8.10 mm	standard				
68B	32.72 mm	standard	semi-thick	semi-shallow	7.50 mm	standard				

GP Series

Our GP Series have been created especially for professionals who require superior quality from their mouthpiece.

The GP Series features an innovative shape and extra-heavy goldplate finish for players who prefer a focused, concentrated tonal core.

Trumpet Mouthpieces

Model	Rim			Our Danth	Throat	Backbore
No.	Inner Diameter	Contour	Thickness	Cup Depth	Infoat	Dackbore
7A4-GP	16.24 mm	semi-flat	thick	shallow	3.65 mm	narrow
8C4-GP	16.19 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
11B4-GP	16.46 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
14A4a-GP	16.68 mm	semi-flat	semi-thick	shallow	3.65 mm	semi-narrow
14B4-GP	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
14C4-GP	16.88 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
16C4-GP	17.00 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
17C4-GP	17.30 mm	semi-flat	standard	standard	3.65 mm	semi-narrow

Cornet Mouthpieces (Short Shank)

	14ES-GP	16.86 mm	standard	standard	deep	3.98 mm	standard
/	16ES-GP	17.05 mm	standard	standard	deep	3.98 mm	standard

Flugelhorn Mouthpiece

	14F4-GP	16.76 mm	semi-flat	standard	standard	4.30 mm	standard
--	---------	----------	-----------	----------	----------	---------	----------

French Horn Mouthpieces

30-GP	17.08 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow	
31-GP	17.28 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow	
32-GP	17.48 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow	

Trombone Mouthpieces (Small Shank)

45C2S-GP	24.26 mm	semi-round	standard	standard	5.85 mm	semi-narrow
48S-GP	25.25 mm	standard	standard	standard	6.62 mm	semi-wide

Trombone Mouthpiece (Large Shank)

48L-GP	25.25 mm	standard	standard	standard	6.62 mm	semi-narrow
--------	----------	----------	----------	----------	---------	-------------

Bass Trombone Mouthpiece

59L-GP	27.22 mm	standard	standard	standard	7.25 mm	semi-wide

Signature Series

For many years Yamaha has been producing special custom-made mouthpieces for the world's top players at our R&D Ateliers. These artists were not satisfied with any commercial models available and came to us with their dreams of a 'perfect' mouthpiece. They knew the kind of sound and response they wanted, and our technicians knew how to deliver it. Yamaha's Signature Series mouthpieces let others share the results of this great cooperation between artist and artisan.

Allen Vizzutti / Trumpet - An incredible trumpet virtuoso

Model No.	Inner Diameter	Contour	Thickness	Cup Depth	Throat	Backbore
VIZZUTTI	16.67 mm	semi-flat	semi-thick	very shallow	3.56 mm	very narrow
The Vizzutti mouthpiece is also available with a gold-plated rim, cup, and inner bore.						

Bobby Shew / Trumpet - Legendary jazz artist

SHEW-LEAD	16.54 mm	semi-round	semi-thick	very shallow	3.56 mm	narrow
SHEW-JAZZ	16.85 mm	semi-round	semi-thick	medium	3.65 mm	medium
SHEW-FH	16.54 mm	semi-round	semi-thick	standard	4.40 mm	long taper

Mark Gould / Trumpet - Professor at the Juilliard School

GOULD 17.30 mm semi-flat standard semi-shallow 3.88 mm standard

Eric Aubie	er/Trumpet	- Interna	tional sol	oist and trun	npet pro	fessor
AUBIER	17.03 mm	semi-flat	standard	standard	3.80 mm	standard

Eric Miyashiro/Trumpet – Lead player in a Who's Who of Top Bands and founder of the EM Big Band

EM1	16.02 mm	semi-round	thin	very shallow	3.65 mm	very narrow
EM2	16.22 mm	semi-round	thin	very shallow	3.65 mm	very narrow
EM-FH	16.06 mm	semi-flat	thin	standard	4.40 mm	long taper

Pierre Dutot/Cornet - International soloist

CR-DUTOT-S	16.90 mm	standard	standard	deep	3.99 mm	wide
CR-DUTOT-L	16.95 mm	standard	standard	shallow	3.72 mm	standard
FH-DUTOT	17.20 mm	semi-flat	standard	deep	3.99 mm	narrow

Thomas Bacon/French Horn - Soloist and chamber music artist

BACON 17.99 mm standard medium semi-shallow (V shape) 4.50 mm semi-wide

 James Sommerville / French Horn
 Principal of the Boston Symphony

 SOMMERVILLE
 16.93 mm
 semi-flat
 medium
 standard (Vcup)
 4.30 mm
 standard

Alain Trudel / Trombone – Soloist Extraordinaire

 TRUDEL
 25.23 mm
 semi-round
 semi-thick
 deep
 7.15 mm
 narrow

 The Trudel mouthpiece is also available with a gold-plated rim, cup, and inner bore.
 The trudel mouthpiece is also available with a gold-plated rim, cup, and inner bore.
 The trudel mouthpiece is also available with a gold-plated rim, cup, and inner bore.
 The trudel mouthpiece is also available with a gold-plated rim, cup, and inner bore.

Peter Sullivan/Trombone – Principal of the Pittsburgh Symphony Orchestra

SULLIVAN	25.42 mm	standard	standard	semi-deep	6.92 mm	semi-wide

Nils Landgren / Trombone - Jazz soloist

LANDGREN	25.11 mm	semi-round	semi-thin	standard	6.25 mm	semi-narrow
LANDGREN-GP	25.11 mm	semi-round	semi-thin	standard	6.25 mm	semi-narrow

Douglas Yeo / Bass Trombone - Bass trombone of the Boston Symphony

Roger Bobo / Tuba - Legendary soloist and teacher

	BOBO-SOLO	32.2 mm	semi-flat	standard	semi-shallow	7.5 mm	standard	
	BOBO-SYM	32.9 mm	standard	standard	semi-shallow	7.5 mm	standard	
The Bobo mouthpieces are also available with a gold-plated rim, cup, and inner bore.								

Jim Self / Tuba - Top Hollywood studio artist

SELF 32.86 mm standard semi-thick standa	rd 8.00 mm standard
--	---------------------

Sergio Carolino/Tuba - Principal - Tuba of the Porto National Symphony Orchestra

CAROLINO	32.44 mm	semi-flat	standard	semi-shallow	7.5 mm	standard	
----------	----------	-----------	----------	--------------	--------	----------	--



For details please contact:



YAMAHA CORPORATION

WIND INSTRUMENTS CATALOG W-255R7 (P10040540)

